

ULTIMA LED 3.0 HT

Przewagi



- Stopień szczelności na poziomie IP65
- Solidna obudowa wykonana z aluminium
- Wysoki zakres temperatury pracy
- Markowe komponenty
- Wysoka odporność na uderzenia IK10



Ultima LED 3.0 1

		min-max					
ULT3HT.10.042.8A4000	42	6450	4000K	>80	IP65	60°X60° 90°X90°	4,6kg
ULT3HT.10.042.8A5000	42	6500	5000K	>80	IP65	60°X60° 90°X90°	4,6kg

Ultima LED 3.0 2

		min-max					
ULT3HT.20.053.8A4000	53	8600	4000K	>80	IP65	60°X60° 90°X90°	6,2kg
ULT3HT.20.053.8A5000	53	8650	5000K	>80	IP65	60°X60° 90°X90°	6,2kg

Ultima LED 3.0 3

		min-max					
ULT3HT.30.083.8A4000	83	12700	4000K	>80	IP65	60°X60° 90°X90°	6,2kg
ULT3HT.30.083.8A5000	83	12750	5000K	>80	IP65	60°X60° 90°X90°	6,2kg

Ultima LED 3.0 4


		min-max					
ULT3HT.40.110.8A4000	110	16950	4000K	>80	IP65	60°X60° 90°X90°	7,8kg
ULT3HT.40.110.8A5000	110	17000	5000K	>80	IP65	60°X60° 90°X90°	7,8kg


Ultima LED 3.0 5

		min-max					
ULT3HT.50.145.8A4000	145	21350	4000K	>80	IP65	60°X60° 90°X90°	7,8kg
ULT3HT.50.145.8A5000	145	21400	5000K	>80	IP65	60°X60° 90°X90°	7,8kg


W celu zapoznania się z parametrami świetlnymi, dla danego kąta rozsyłu światłości prosimy o postępowanie się plikami fotometrycznymi. Link do pobrania: luxon.pl/Pliki/LDT-LUXON-LED-2020.zip

Wymiarowanie i Logistyka





	H	L	W
ULT3HT.1	230	838	126
ULT3HT.2	230	1108	126
ULT3HT.3	230	1108	126
ULT3HT.4	230	1405	126
ULT3HT.5	230	1405	126

Montaż



Rozsył Światłości



Dostępne konfiguracje

Rodzina	Wersja mocowa	Wersja	Moc [W]	CRI	Typ diody	CCT [K]	Materiał soczewki	Materiał dyfuzora	Rozsył	Sterowanie	Temperatury pracy [°C]	Gwarancja	Modyfikacje
ULT3HT Ultima LED HT 3.0	1	0 Standard	042 42W	8 >80	A Mid Power	4000 4000K	2 Soczewka PC	P21 PC transpa- rentne	070055 70°x55°	00 ON/OFF	3565 -35°C+65°C	05Y 5 lat	0000 Standard
	2		053 53W			5000 5000K			095090 95°x90°				
	3		053 53W			G11 szkło hartowane transpa- rentne	D0 DALI	3570 -35°C+70°C					
	4		083 83W										
	5		110 110W										
5	145 145W												

Przykładowy kod produktu:

[ULT3HT.20.053.8A5000.2P21.095090.D0.3570.05Y.0000](#)